Brain Research, 504 (1990) 358–360
Elsevier

Author Index

Akaike, N., Oyama, Y. and Yakushiji, T., Influences of external Ca^{2+} on the GABA-induced chloride current and the efficacy of diazepam in internally perfused frog sensory neurons, 293
Altschuler, R.A., see Juiz, J.M., 173
Amagasa, M., Mizoi, K., Ogawa, A. and Yoshimoto, T., Actions of brain-protecting substances against both oxygen and glucose deprivation in the guinea pig hippocampal neurons studied in vitro, 87
Anneser, F., see Villringer, A., 159
Asunuma, H., see Mori, A., 206

Baker, G.B., see Vanderwolf, C.H., 181
Beck, S.G. and Halloran, P.M., Imipramine alters β-adrenergic, but not serotonergic, mediated responses in rat hippocampal pyramidal cells, 72
Bedian, V., see Roberts, M.H., 211
Behbehani, M.M., see Shipley, M.T., 347
Bol, J.G.J.M., see De Vente, J., 332
Bolioli, B., Castelló, M.E., Jerusalinsky, D., Rubinstein, M., Medina, J. and Dajas, F., Neurochemical and behavioral correlates of unilateral striatal acetylcholinesterase inhibition by fasciculin in rats, 1
Bordi, F. and Meller, E., Enhanced behavioral stereotypies elicited by intrastriatal injection of D_1 and D_2 dopamine agonists in intact rats, 276
Bowen, W.D., see Matsumoto, R.R., 145
Brennan, K.M., see Lo, E.H., 168
Buchwald, N., see Zhou, F.C., 15

Cadet, J.L., see Perumal, A.S., 139
Cadet, J.L., see Predborski, S., 311
Carlson, J.N., see Glick, S.D., 231
Carlton, S.M. and Hayes, E.S., Dynorphin A(1–8) immunoreactive cell bodies, dendrites and terminals are postsynaptic to calcitonin gene-related peptide primary afferent terminals in the monkey dorsal horn, 124
Castelló, M.E., see Bolioli, B., 1
Castrogiovanni, P., Di Muro, A., Maremani, I., Perossini, M. and Marazziti, D., Interaction between the serotonin and dopamine systems in humans: preliminary findings, 129
Chen, J.-C., see Crino, P.B., 247
Chen, Y., see Roberts, M.H., 211
Chilco, P.J., see Donnan, G.A., 64
Chrobak, J.J., Spates, M.J., Stackman, R.W. and Walsh, T.J., Hemicholinium-3 prevents the working memory impairments and the cholinergic hypofunction induced by ethylcholine aziridinium ion (AF64A), 269
Cooper, T.B., see Perumal, A.S., 139
Crino, P.B., Vogt, B.A., Chen, J.-C. and Volicer, L., Neurotoxic effects of partially oxidized serotonin: tryptamine-4,5-dione, 247
Cronly-Dillon, J.R., see Shehab, S.S.A., 343
Czyzyk-Krzeska, M.F., see Krzeski, R., 297

Dajas, F., see Bolioli, B., 1
Davis, T.L. and Wiley, R.G., Anti-Thy-1 immunotoxin, OX7-saporin, destroys cerebellar Purkinje cells after intraventricular injection in rats, 216
De Blas, A.L., see Juiz, J.M., 173
Delaère, P., see Duyckaerts, C., 94
Delapaz, R.L., see Lo, E.H., 168
De Vente, J., Bol, J.G.J.M. and Steinbusch, H.W.M., Localization of cGMP in the cerebellum of the adult rat: an immunohistochemical study, 332
Di Muro, A., see Castrogiovanni, P., 129
Dirnagl, U., see Villringer, A., 159
Donnan, G.A., Kaczmarczyk, S.J., McKenzie, J.S., Kalnins, R.M., Chilco, P.J. and Mendelsohn, F.A.O., Catecholamine uptake sites in mouse brain: distribution determined by quantitative [^{3}H]mazindol autoradiography, 64
Dowling, J.E., see Young, L.H.Y., 57
Dunnett, S.B., see Sirinathsinghji, D.J.S., 115
Duyckaerts, C., Llamas, E., Delaère, P., Miele, P. and Hauw, J.-J., Neuronal loss and neuronal atrophy. Computer simulation in connection with Alzheimer's disease, 94

Einhäupl, K.M., see Villringer, A., 159
Ennis, M., see Shipley, M.T., 347

Fabrikant, J.I., see Lo, E.H., 168
Fahn, S., see Perumal, A.S., 139
Fahn, S., see Przedborski, S., 311
Farrant, M. and Webster, R.A., Neuronal activity, amino acid concentration and amino acid release in the substantia nigra of the rat after sodium valproate, 49
Frankel, K.A., see Lo, E.H., 168
Fraser, H., see Scott, J.R., 301
French, A.S., Ouabain selectively affects the slow component of sensory adaptation in an insect mechanoreceptor, 112
Frusciante, M.J., see Sircar, R., 325

Gintzler, A.R., see Xu, H., 36
Glick, S.D. and Carlson, J.N., Regional changes in brain dopamine and serotonin metabolism induced by conditioned circling in rats: effects of water deprivation, learning and individual differences in asymmetry, 231

Haberl, R.L., see Villringer, A., 159
Halász, B., see Nagy, G., 165
Halloran, P.M., see Beck, S.G., 72
Hauser, S.L., see Kostyk, S.K., 284
Hauw, J.-J., see Duyckaerts, C., 94
Hayes, E.S., see Carlton, S.M., 124
Helfert, R.H., see Juiz, J.M., 173
Huang, L., see Lim, R., 154
Ikuta, F., see Oyanagi, K., 354

Jackson-Lewis, V., see Perumal, A.S., 139
Javitt, D.C., see Sircar, R., 325
Jennings, C.G.B. and Mudge, A.W., Chick myotubes in culture express high-affinity receptors for calcitonin gene-related peptide, 199
Jerusalinsky, D., see Bolioli, B., 1
Jouvet, M., see Yoshimoto, Y., 149
Juiz, J.M., Helfert, R.H., Wenthold, R.J., De Blas, A.L. and Altschuler, R.A., Immunocytochemical localization of the $GABA_A$/benzodiazepine receptor in the guinea pig cochlear nucleus: evidence for receptor localization heterogeneity, 173

Kaczmarczyk, S.J., see Donnan, G.A., 64
Kalnins, R.M., see Donnan, G.A., 64
Katz, M., see Perumal, A.S., 139
Katz, M.J., see Paggi, P., 223
Keil, L.C., see Palm, D.E., 142
Knight, R.T., Scabini, D. and Woods, D.L., Prefrontal cortex gating of auditory transmission in humans, 338
Kostyk, S.K., Kowall, N.W. and Hauser, S.L., Substance P immunoreactive astrocytes are present in multiple sclerosis plaques, 284
Kowall, N.W., see Kostyk, S.K., 284
Koyano, H., see Sato, M., 132
Kristan, W.B., see Lytton, W.W., 43
Kristensson, K., see Nennesmo, I., 306
Krzeski, R., Czyzyk-Krzeska, M.F., Trzebski, A. and Millhorn, D.E., Centrally administered glucagon stimulates sympathetic nerve activity in rat, 297
Kubo, T., see Tanaka, M., 31

Laferrere, B. and Wurtman, R.J., Effect of D-fenfluramine on serotonin release in brains of anaesthetized rats, 258
Lasek, R.J., see Paggi, P., 223
Laurie, D.J. and Pratt, J.A., Local cerebral glucose utilization following subacute and chronic diazepam pretreatment: differential tolerance, 101
Leigh, R.J., see Seidman, S.H., 264
Leung, L.W.S., see Vanderwolf, C.H., 181
Lim, R. and Huang, L., Glia maturation factor-beta promotes the appearance of large neurofilament-rich neurons in injured rat brains, 154
Ljungdahl, Å., see Nennesmo, I., 306
Llamas, E., see Duyckaerts, C., 94
Lo, E.H., Frankel, K.A., Delapaz, R.L., Poljak, A., Woodruff, K.H., Brennan, K.M., Phillips, M.H., Valk, P.E., Steinberg, G.K. and Fabrikant, J.I., Cerebro-

vascular and metabolic perturbations in delayed heavy charged particle radiation injury, 168
Lytton, W.W. and Kristan, W.B., Localization of a leech inhibitory synapse by photo-ablation of individual dendrites, 43

Makara, G.B., see Nagy, G., 165
Marazziti, D., see Castrogiovanni, P., 129
Maremmani, I., see Castrogiovanni, P., 129
Maruyama, M. and Takeda, K., Effects of acromelic acid A on the binding of [^{3}H]-glutamic acid and [^{3}H]kainic acid to synaptic membranes and on the depolarization at the frog spinal cord, 328
Matsumoto, R.R., Bowen, W.D. and Walker, J.M., Age-related differences in the sensitivity of rats to a selective sigma ligand, 145
Matsunaga, T., see Tanaka, M., 31
McKenzie, J.S., see Donnan, G.A., 64
Medina, J., see Bolioli, B., 1
Mei, L., Roeske, W.R. and Yamamura, H.I., The coupling of muscarinic receptors to hydrolysis of inositol lipids in human neuroblastoma SH-SY5Y cells, 7
Meller, E., see Bordi, F., 276
Mendelsohn, F.A.O., see Donnan, G.A., 64
Miele, P., see Duyckaerts, C., 94
Millhorn, D.E., see Krzeski, R., 297
Mizoi, K., see Amagasa, M., 87
Morara, S., Provini, L. and Rosina, A., CGRP expression in the rat olivocerebellar system during postnatal development, 315
Mori, A., Waters, R.S. and Asunuma, H., Physiological properties and patterns of projection in the cortico-cortical connections from the second somatosensory cortex to the motor cortex, area 4γ, in the cat, 206
Morley, B.J. and Murrin, L.C., AF64 depletes hypothalamic high-affinity choline uptake and disrupts the circadian rhythm of locomotor activity without altering the density of nicotinic acetylcholine receptors, 238
Mudge, A.W., see Jennings, C.G.B., 199
Murrin, L.C., see Morley, B.J., 238

Nagy, G., Neill, J.D., Makara, G.B. and Halász, B., Lack of the suckling-induced prolactin release in homozygous Brattleboro rats: the vasopressin-neurophysin-glycopeptide precursor may play a role in prolactin release, 165
Neill, J.D., see Nagy, G., 165
Nennesmo, I., Olsson, T., Ljungdahl, Å., Kristensson, K. and Van der Meide, P.H., Interferon-gamma-like immunoreactivity and T-cell marker expression in rat skeletal muscle fibres, 306
Nona, S.N., see Shehab, S.S.A., 343
Nussinovitch, I., Somatostatin inhibits two types of voltage-activated calcium currents in rat growth-hormone secreting cells, 136

Ogawa, A., see Amagasa, M., 87
Olsen, R.W., see Van Ness, P.C., 289
Olsson, T., see Nennesmo, I., 306
Oyama, Y., see Akaike, N., 293
Oyanagi, K., Takahashi, H., Wakabayashi, K. and Ikuta, F., Correlative decrease of large neurons in the neostriatum and basal nucleus of Meynert in Alzheimer's disease, 354

Paggi, P., Lasek, R.J. and Katz, M.J., Slow component B protein kinetics in optic nerve and tract windows, 223
Palm, D.E., Keil, L.C., Sassani, J.W. and Severs, W.B., Immunoreactive atrial natriuretic peptide in the retina of rats and rabbits, 142
Panula, P., see Yoshimoto, Y., 149
Perossini, M., see Castrogiovanni, P., 129
Perumal, A.S., Tordzro, W.K., Katz, M., Jackson-Lewis, V., Cooper, T.B., Fahn, S. and Cadet, J.L., Regional effects of 6-hydroxydopamine (6-OHDA) on free radical scavengers in rat brain, 139
Phillips, M.H., see Lo, E.H., 168
Phillis, J.W. and Walter, G.A., Effect of a brief hypoxic hypotensive episode on the in vivo release of cerebral cortical γ-aminobutyric acid and glycine, 121
Poljak, A., see Lo, E.H., 168
Pratt, J.A., see Laurie, D.J., 101
Provini, L., see Morara, S., 315
Przedborski, S., Wright, M., Fahn, S. and Cadet, J.L., Regional changes in brain 5-HT_{1A} serotonin receptors in the rat model of persistent spasmodic dyskinesias induced by iminodipropionitrile, 311

Roberts, M.H., Bedian, V. and Chen, Y., Kinase inhibition lengthens the period of the circadian pacemaker in the eye of *Bulla gouldiana,* 211
Roeske, W.R., see Mei, L., 7
Rosina, A., see Morara, S., 315
Rubinstein, M., see Bolioli, B., 1
Rusak, B., see Zhang, D.X., 161

Sakai, K., see Yoshimoto, Y., 149
Salvert, D., see Yoshimoto, Y., 149
Sassani, J.W., see Palm, D.E., 142
Sato, M., Yoshizaki, K. and Koyano, H., Veratridine stimulation of sodium influx in carotid body cells from newborn rabbits in primary culture, 132
Satou, M., Tsai, H.-j., Shiraishi, A. and Ueda, K., After-effects of moving textured background in motion-sensitive neurons of anuran optic tectum, 320
Scabini, D., see Knight, R.T., 338
Scott, J.R. and Fraser, H., Enucleation after intraocular scrapie injection delays the spread of infection, 301
Seidman, S.H. and Leigh, R.J., The human torsional vestibulo-ocular reflex during rotation about an earth-vertical axis, 264
Senba, E., see Tanaka, M., 31
Severs, W.B., see Palm, D.E., 142
Shehab, S.S.A., Stafford, C.A., Nona, S.N. and Cronly-Dillon, J.R., Anti-goldfish glial fibrillary acidic protein (GFAP) recognises astrocytes from rat CNS, 343
Shipley, M.T., Ennis, M. and Behbehani, M.M., Acetylcholinesterase and Nissl staining in the same histological section, 347
Shiraishi, A., see Satou, M., 320
Sircar, R., Frusciante, M.J., Javitt, D.C. and Zukin, S.R., Glycine reverses 7-chlorokynurenic acid-induced inhibition of [^{3}H]MK-801 binding, 325
Sirinathsinghji, D.J.S. and Dunnett, S.B., Disappearance of the μ-opiate receptor patches in the rat neostriatum following the lesioning of the ipsilateral nigrostriatal dopamine pathway with 1-methyl-4-phenylpyridinium ion (MPP^+): restoration by embryonic nigral dopamine grafts, 115
Smolens, I., see Xu, H., 36
Spates, M.J., see Chrobak, J.J., 269
Stackman, R.W., see Chrobak, J.J., 269
Stafford, C.A., see Shehab, S.S.A., 343
Steinberg, G.K., see Lo, E.H., 168
Steinbusch, H.W.M., see De Vente, J., 332
Stewart, D.J., see Vanderwolf, C.H., 181
Stuart, M., see Yoshimoto, Y., 149

Takahashi, H., see Oyanagi, K., 354
Takeda, K., see Maruyama, M., 328
Takeda, N., see Tanaka, M., 31
Tanaka, M., Takeda, N., Senba, E., Tohyama, M., Kubo, T. and Matsunaga, T., Localization, origin and fine structure of calcitonin gene-related peptide-containing fibers in the vestibular end-organs of the rat, 31
Tohyama, M., see Tanaka, M., 31
Tordzro, W.K., see Perumal, A.S., 139
Trzebski, A., see Krzeski, R., 297
Tsai, H.-j., see Satou, M., 320

Ueda, K., see Satou, M., 320

Valk, P.E., see Lo, E.H., 168
Van der Meide, P.H., see Nennesmo, I., 306
Vanderwolf, C.H., A general role for serotonin in the control of behavior: studies with intracerebral 5,7-dihydroxytryptamine, 192
Vanderwolf, C.H., Leung, L.W.S., Baker, G.B. and Stewart, D.J., The role of serotonin in the control of cerebral activity: studies with intracerebral 5,7-dihydroxytryptamine, 181
Van Ness, P.C., Olsen, R.W. and Verity, M.A., MPTP is proconvulsant acutely but has no long-term effect in rodent models of seizure and epilepsy, 289
Verity, M.A., see Van Ness, P.C., 289
Verst, M., see Villringer, A., 159
Villringer, A., Haberl, R.L., Dirnagl, U., Anneser, F., Verst, M. and Einhäupl, K.M., Confocal laser microscopy to study microcirculation of the rat brain surface in vivo, 159
Vogt, B.A., see Crino, P.B., 247
Volicer, L., see Crino, P.B., 247

Wakabayashi, K., see Oyanagi, K., 354
Walker, J.M., see Matsumoto, R.R., 145
Walsh, T.J., see Chrobak, J.J., 269
Walter, G.A., see Phillis, J.W., 121
Walz, W. and Wuttke, W.A., Resistance of

astrocyte electrical membrane properties to acidosis changes in the presence of lactate, 82
Waters, R.S., see Mori, A., 206
Webster, R.A., see Farrant, M., 49
Wenthold, R.J., see Juiz, J.M., 173
Wiley, R.G., see Davis, T.L., 216
Woodruff, K.H., see Lo, E.H., 168
Woods, D.L., see Knight, R.T., 338
Wright, M., see Przedborski, S., 311
Wurtman, R.J., see Laferrere, B., 258
Wuttke, W.A., see Walz, W., 82

Xu, H., Smolens, I. and Gintzler, A.R., Opioids can enhance and inhibit the electrically evoked release of methionine-enkephalin, 36

Yakushiji, T., see Akaike, N., 293
Yamamura, H.I., see Mei, L., 7
Yoshimoto, T., see Amagasa, M., 87
Yoshimoto, Y., Sakai, K., Panula, P., Salvert, D., Stuart, M. and Jouvet, M., Cells of origin of histaminergic afferents to the cat median eminence, 149
Yoshizaki, K., see Sato, M., 132
Young, L.H.Y. and Dowling, J.E., Localization of cyclic adenosine monophosphate in the teleost retina: effects of dopamine and prolonged darkness, 57

Zhang, D.X. and Rusak, B., Photic sensitivity of geniculate neurons that project to the suprachiasmatic nuclei or the contralateral geniculate, 161
Zhou, F.C. and Buchwald, N., Connectivities of the striatal grafts in adult rat brain: a rich afference and scant striatonigral efference, 15
Zukin, S.R., see Sircar, R., 325

(contents continued)

Effects of acromelic acid A on the binding of [^{3}H]glutamic acid and [^{3}H]kainic acid to synaptic membranes and on the depolarization at the frog spinal cord
M. Maruyama and K. Takeda (Japan) 328
Localization of cGMP in the cerebellum of the adult rat: an immunohistochemical study
J. de Vente, J.G.J.M. Bol and H.W. M. Steinbusch (The Netherlands) 332
Prefrontal cortex gating of auditory transmission in humans
R.T. Knight, D. Scabini and D.L. Woods (U.S.A.) 338
Anti-goldfish glial fibrillary acidic protein (GFAP) recognises astrocytes from rat CNS
S.S.A. Shehab, C.A. Stafford, S.N. Nona and J.R. Cronly-Dillon (U.K.) 343
Acetylcholinesterase and Nissl staining in the same histological section
M.T. Shipley, M. Ennis and M.M. Behbehani (U.S.A.) 347
Correlative decrease of large neurons in the neostriatum and basal nucleus of Meynert in Alzheimer's disease
K. Oyanagi, H. Takahashi, K. Wakabayashi and F. Ikuta (Japan) 354

Author Index 358